

DEPARTMENTWISEINSTRUMENTS ANDEQUIPMENTSLISTASPERMSR

(A). YEAR2023-2024 **DETAILS OF EQUIPMENTS AND INSTRUMENTS REQUIRED FOR PHYSIOLOGY LABORATORY**

Faculty: Ayurved

Name of College: Ayurved Mahavidyalaya, Pusaad College Code: 3508

Sr.No	Equipment and Instruments	Upto Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1	Microscopes with oil immersion	Thirty	Fifty	30	Adequate
2	Westergren's pipette for ESR	Sixty	Hundred	60	Adequate
3	Haematocrit Tube	Sixty	Hundred	60	Adequate
4	Sahl's Haemoglobinometer	Sixty	Hundred	60	Adequate
5	Haemocytometer	Sixty	Hundred	30	Adequate
6	Electrocardiograph	One	One	1	Adequate
7	Stopwatches	Sixty	Hundred	60	Adequate
8	Water Distillation still	One	One	1	Adequate
9	Balances	One	One	1	Adequate
10	Centrifuge with speed control	Three	Six	3	Adequate
11	Colorimeter (photoelectric)	Three	Six	2	Adequate
12	pH meter Electric	One	One	1	Adequate
13	pH comparator with disc	One	One	1	Adequate
14	Sphygmomanometer	Thirty	Fifty	30	Adequate
15	Stethoscopes	Sixty	Hundred	60	Adequate
16	Clinical Thermometer	Sixty	Hundred	60	Adequate
17	Knee Hammer	Sixty	Hundred	60	Adequate
18	Tuning forks	Sixty	Hundred	60	Adequate
19	Sterilizer	Five	Five	5	Adequate
General					
20.	Refrigerator	One	One	1	Adequate
21.	Newton's colour wheel in batch	One	One	1	Adequate
22.	Coverslips, glassware, Microslides	Miscellaneous Assorted		available	Adequate



Ayurved Mahavidyalaya
Pusaad
Principal

(B) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR DISSECTION HALL

S.No.	Instruments and Equipments	Upto Sixty intake capacity	Sixty-one to Hundred intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Tank with capacity to preserve 2-4 bodies.		Assorted	Yes	Adequate
2.	Machines for bones and brain sectioning		Assorted	Yes	Adequate
3.	Dissection Sets	Fifteen Sets	Twenty-five sets	Yes	Adequate
4.	Dissecting Table			Yes	Adequate
a)	Full size with steel top or marble top stainless	Four	Six	Yes	Adequate
b)	Half size with steel top or marble top stainless	Eight	Ten	Yes	Adequate
General					
5.	X-ray viewing box or panels	Three	Three	Yes	Adequate
Miscellaneous					
6.	Bone cutter of the number $3/4, 1/2, 1/4, 1/8$ - fine pointed Chisel bone dissector		Assorted	Yes	Adequate
7.	Glass jars of different sizes		Assorted	Yes	Adequate
8.	Preservative Chemicals		Assorted	Yes	Adequate




Principal
Ayurved Mahavidyalaya
PUSAD

(C) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR RASASHASTRA AND BHAI SHAJYA KALPANA LABORATORY

Sr. No.	Equipment and Instruments	Up to Sixty intake capacity	Sixty- one to Hundre d intake capacity	Details on College Website	Adequate/ Inadequate
Essential					
1.	Khalva Yantra-				
a)	Small	Ten	Twenty		Adequate
b)	Medium	Ten	Twenty		Adequate
c)	Porcelain	Ten	Twenty		Adequate
d)	Taptakhalvyantra	Two	Four		Adequate
2.	Pounding Apparatus (Ulukhala Yantra)	Ten	Twenty		Adequate
3.	Putas (Different kind)	Five	Ten		Adequate
4.	Moosha (Crucibles)	Thirty	Fifty		Adequate
5.	Koshti with Blower	Two	Four		Adequate
6.	Yantras				
a)	Dola Yantra	One	One		Adequate
b)	Valuka Yantra	One	One		Adequate
c)	Pithara Yantra	One	One		Adequate
d)	Bhudhara Yantra etc.	One	One		Adequate
7.	Distillation Apparatus and Arka Yantra	Three	Six		Adequate
8.	Kupipakva Bhatti	One	One		Adequate
General					
9.	Wet Grinder	One	One		Adequate
10.	Mixi	One	One		Adequate
11.	Juice Extractor	One	One		Adequate
12.	Refrigerator	One	One		Adequate
13.	Almiras and Racks for storage	Assorted			Adequate
14.	Balance (Different Capacities)				
a)	Physical	One	One		Adequate
b)	Chemical	One	One		Adequate
c)	Electronic Balance	One	One		Adequate
15.	Heating Device-				
a)	Gas Stove	Assorted			Adequate
b)	Hot plate	Assorted			Adequate
c)	Chulla (Charcoal)	Assorted			Adequate
16.	Big Vessels and Containers-				
a)	Brass	Assorted			Adequate




Principal
 Mahatma Jyotiba Phule Ayurvedic College, Pusa

Ayurvedic College, Pusa
 Pusa

Sr	Supply	Assortment	Quantity
c)	Steel etc.	Assorted	Adequate
d)	Earthen Vessels-Pots	Assorted	Adequate
Miscellaneous			
17.	Jars(Porcelain) Fermentation Purpose	Assorted	Adequate
18.	Enamel Trays	Assorted	Adequate
19.	Spirit Lamp	Assorted	Adequate
20.	Pressure Cooker	Assorted	Adequate
21.	Measuring Equipments Different Size (Glass)	Assorted	Adequate
22.	Pyrometer	Assorted	Adequate
23.	Thermo meter	Assorted	Adequate
24.	Vessels		
a)	Frying Pan	Assorted	Adequate
b)	Steel Vessel	Assorted	Adequate
c)	Spatula	Assorted	Adequate
d)	Ladles and Spoons	Assorted	Available
e)	Knife	Assorted	Adequate
f)	Plates	Assorted	Adequate
g)	Samdamsa Yantra(Tongs)	Assorted	Adequate
25.	Sieves (Assorted Nos. and Size)	Assorted	Adequate



Principal
 Dean/Principal's Stamp & Signature

(D) DETAILSOFEQUIPMENTSANDINSTRUMENTSREQUIREDFORPHARMACOGNOSYLABORATORY[DRAVYAGUNA]

S.No.	EquipmentandInstruments	UptoSixtyintakecapacity	Sixty-onetoHundredintakecapacity	DetailsonCollegeWebsite	Adequate/ Inadequate
Essential					
1.	Fieldmagnifier	One	One	Yes	Adequate
2.	Compoundmicroscope	One	One	Yes	Adequate
3.	DissectingMicroscope	One	One	Yes	Adequate
4.	Microscope	Fifteen	Twenty-five	Yes	Adequate
5.	Electronicbalance	One	Two	Yes	Adequate
Miscellaneous					
6.	Slidesboxwithcoverslips,		Assorted		Assorted
7.	Blotting/filterpapers		Assorted		Assorted
8.	DissectionBox		Assorted		Assorted
9.	EnamelTrays		Assorted		Assorted
10.	Reagents-				Assorted
a.	Chloroform		Assorted		Assorted
b.	Alcohol.		Assorted		Assorted
c.	HCL		Assorted		Assorted
d.	Sulphuricacid		Assorted		Assorted
e.	Sodium.potassiumhydroxide		Assorted		Assorted
f.	Benedictsolution		Assorted		Assorted
g.	Sodiumnitrate		Assorted		Assorted
h.	Potassiumnitrate		Assorted		Assorted
i.	Citricacid		Assorted		Assorted
j.	Iodine		Assorted		Assorted
k.	EthylAlcohol		Assorted		Assorted
l.	PotassiumIodide		Assorted		Assorted
m	Xylol/purexytene(slidepreparation)		Assorted		Assorted




 Principal,
 Ayurved Mahavidyalaya,
 PUSA
 Dean/Principal Stamp & Signature

(E) DETAIL OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR ROGVIGYAN LABORATORY

S.No.	Equipment and Instruments	Upto Sixty intake capacity	Sixty- one to Hundred intake capacity	Detail on College Website	Adequate/ Inadequate
Essential					
1.	Binocular microscope	Fifteen	Twenty-five	15	Adequate
2.	Microscope with oil immersion	Fifteen	Twenty-five	15	Adequate
3.	Monocular microscope with oil immersion lens 20(e)	Fifteen	Twenty-five	15	Adequate
4.	X-ray view box	One	One	1	Adequate
5.	Sahlfi's Square tube	Thirty	Fifty	30	Adequate
6.	Hb pipette	Thirty	Fifty	30	Adequate
7.	WBC Pipette	Thirty	Fifty	30	Adequate
8.	Dropper	Thirty	Fifty	30	Adequate
9.	Red cell pipette	Thirty	Fifty	30	Adequate
10.	Improved Neubauer chamber	Thirty	Fifty	30	Adequate
11.	Incubator	One	Two	1	Adequate
12.	Wintrobe's tube	Thirty	Fifty	30	Adequate
13.	Pasteur's pipette	Thirty	Fifty	30	Adequate
14.	Centrifuge Graduated Machine	One	Two	1	Adequate
15.	Westergren's pipette	Thirty	Fifty	30	Adequate
16.	Westergren's stand	Thirty	Fifty	30	Adequate
17.	Urinometer	Thirty	Fifty	30	Adequate
18.	Autoclave	One	One	1	Adequate
19.	Ultraviolet lamp	One	One	1	Adequate
20.	Cell counter (haemo auto analyser)	One	One	1	Adequate
21.	BP Apparatus	Thirty	Fifty	30	Adequate
22.	Stethoscope	Thirty	Fifty	30	Adequate
23.	Thermometer	Thirty	Fifty	30	Adequate
24.	Tongue depressor	Thirty	Fifty	30	Adequate
25.	Stop watch	Thirty	Fifty	30	Adequate
General					
26.	Physical balance	One	One	1	Adequate
27.	Hot air oven	One	One	1	Adequate
28.	Bunsen burner	Thirty	Fifty	30	Adequate
29.	Refrigerator	One	One	2	Adequate



30.	Sterile vessels/bottle to collect samples	Assorted	Assorted	100	Adequate
31.	Torch	Assorted	Assorted	15	Adequate
32.	Knee hammer	Assorted	Assorted	30	Adequate
33.	Measuring Tape	Assorted	Assorted	30	Adequate
34.	ENT examination set	Assorted	Assorted	5	Adequate
35.	Reflectors (Mirrors)	Assorted	Assorted	25	Adequate
36.	Weighing machine	One	One	1	Adequate
37.	Tuning Forks	Assorted	Assorted	20	Adequate
38.	Nasal speculum	Assorted	Assorted	20	Adequate
39.	Laryngoscope	Assorted	Assorted	5	Adequate
40.	Catheters	Assorted	Assorted	20	Adequate
41.	Probes	Assorted	Assorted	15	Adequate
42.	HBsAg kit	Assorted	Assorted	30 strips	Adequate
43.	HIV kit - Tridot (method by T Mitra)	Assorted	Assorted	1	Adequate
44.	CT and BT kit	Assorted	Assorted	30	Adequate
45.	Renal profile, LET kit, Lipid profile, Blood, Sugarkit	Assorted	Assorted	Each 1	Adequate
46.	Sterile disposable lancet/needle	Assorted	Assorted	50	Adequate
47.	Glass rod	Assorted	Assorted	25	Adequate
48.	Syringe needle destroyer	Assorted	Assorted	1	Adequate
49.	Coverslip	Assorted	Assorted	4 boxes	Adequate
50.	Cleaned slides	Assorted	Assorted	3 boxes	Adequate
51.	Litmus paper	Assorted	Assorted	4 bundle	Adequate
52.	pH indicator paper strips	Assorted	Assorted	2 bundle	Adequate
53.	Test tube	Assorted	Assorted	50	Adequate
54.	Separating funnel of various sizes	Assorted	Assorted	1	Adequate
55.	Glass jars with lid of different sizes	Assorted	Assorted	10	Adequate
56.	Capillary Tubes	Assorted	Assorted	3 boxes	Adequate
57.	Rubbersheet	Assorted	Assorted	15	Adequate
58.	Magnifying lens	Assorted	Assorted	2	Adequate
59.	Water bath	Assorted	Assorted	1	Adequate
60.	Multistix	Assorted	Assorted	1 pack	Adequate



Dean/Principal Stamp & Signature

(F) DETAILSOFEQUIPMENTANDINSTRUMENTSREQUIREDFORLABOURROOM

S.No.	EquipmentandInstruments	RequiredQuantity	DetailsonCollege Website	Adequate/ Inadequate
	Essential			
1.	ShadowlessLamp	One	1	Adequate
2.	SuctionMachine(Neonatal)	One	1	Adequate
3.	OxygenCylinderandMask	One	1	Adequate
4.	FoetalTocoCardiograph	One	1	Adequate
5.	RadiantWarmer	One	1	Adequate
6.	PhototherapyUnit	One	1	Adequate
7.	WeighingMachine(Paediatric)	One	1	Adequate
8.	Patienttrolley	Two	2	Adequate
9.	Anaesthesiatrolley	One	1	Adequate
10.	Infantometer	One	1	Adequate
11.	Vacuumentractor	One	1	Adequate
12.	FoetalDoppler	One	1	Adequate
13.	Lowcavityforceps	Two	2	Adequate
14.	Steriliser	Two	2	Adequate
15.	Machintoshrubbersheet	Assorted	Available	Adequate
16.	InstrumentsforlabourandEpisiotomy. (Scissors, forceps, needleholderetc.)	Assorted	Available	Adequate
17.	Babytray	Two	2	Adequate
18.	Nebuliser	One	1	Adequate
19.	Foetoscope	Five	5	Adequate
20.	AutoClave	One	1	Adequate
21.	Drums	Assorted	Available	Adequate
22.	InstrumentalTrolley	Assorted	Available	Adequate
23.	OTablesandheadUpandheadLowfacility	One	1	Adequate
24.	PulseOximeter	One	1	Adequate
25.	Resuscitationkit	One	1	Adequate
26.	Boyle'sapparatus	One	1	Adequate
27.	Electrocautery	One	1	Adequate
28.	MTPSuctionMachine	One	1	Adequate
29.	AnaesthesiaKit	One	1	Adequate
30.	BluntandSharpCurettes	Ten	10	Adequate
31.	Dilatorsset(Hegar's,Hawkins)	Five	5	Adequate



33.	Cusco's Speculum	Five	5	Adequate
34.	Anterior Vaginal Wall Retractor	Five	5	Adequate
35.	Uterine Sound	Five	5	Adequate
36.	Volsellum	Five	5	Adequate
37.	MTP Suction Currate	Five	5	Adequate
38.	Retractors abdominal (Doyle's etc.)	Five	5	Adequate
39.	Sponge holding forceps	Five	5	Adequate
40.	Green army tag forceps	Five	5	Adequate
41.	Uterus holding forceps	Five	5	Adequate
42.	Kocher's forceps	Five	5	Adequate
43.	Artery forceps (Long, short, Mosquito) Each	Five	5	Adequate
44.	Scissors - different sizes	Five	5	Adequate
45.	Forceps obstetric	Five	5	Adequate
46.	Endotracheal tubes	Five	5	Adequate
47.	Cord Cutting appliances	Five	5	Adequate
48.	I.U.C.D. removing hook	Five	5	Adequate
49.	Bladder Sound	Two	2	Adequate
50.	B.P. apparatus			
Miscellaneous				
51.	HIV kit for emergency patients	Assorted	1	Adequate
52.	Plain and Hole towels	Assorted	7	Adequate
53.	Towel Clips	Assorted	Available	Adequate
54.	Catgut and Thread	Assorted	Available	Adequate
55.	Needles	Assorted	Available	Adequate
56.	Needle holders	Assorted	7	Adequate




 Dean/Principal
 Faisalabad

Stamp & Signature

(G) DETAILSOFEQUIPMENTANDINSTRUMENTSREQUIREDFOROPERATIONTHEATRE

S.No.	EquipmentandInstruments	RequiredQuantity	DetailsonCollege Website	Adequate/ Inadequate
I	Shalya:			
	Essential			
1.	Spotlight(Shadowlessceilingfitted)	One	2	Adequate
2.	NeedleholdingForceps(big-medium-small)	Assorted	10	Adequate
3.	DressingdrumsofAssortedsize	Assorted	8	Adequate
4.	Drumstand	Assorted	3	Adequate
5.	IV Stand	Two	4	Adequate
6.	CheatlesForceps	Four	4	Adequate
7.	Mosquitoforceps	Four	10	Adequate
8.	Scissorsstraight(Tailor)	Four	4	Adequate
9.	Scissorscurvedofdifferentizes	Fiveeach	5	Adequate
10.	Stitchremovalscissors	Fiveeach	5	Adequate
11.	Dissectionforceps	Four	4	Adequate
12.	SinusForceps	Four	4	Adequate
13.	Probes-Assortedsize	Fiveeach	10	Adequate
14.	Pointedscissors	Four	5	Adequate
15.	AbdominalRetractors	Five	5	Adequate
16.	TissueForceps	Five	5	Adequate
17.	BobKock'sForceps	Five	10	Adequate
18.	Kocher'sForceps	Five	5	Adequate
19.	UrethralDilators	Fiveeach	5	Adequate
20.	MetalCatheters	Fiveeach	5	Adequate
21.	Spongeholdingforceps	Four	6	Adequate
22.	RightAngleholecystectomy Forceps	Four	4	Adequate
23.	Stoneholdingforceps	Four	4	Adequate
24.	AlliesForceps <small>small</small>	Four	10	Adequate
25.	AlliesForcepsBig	Four	10	Adequate
26.	ArteryForceps <small>small</small>	Four	10	Adequate
27.	ArteryForcepsbig	Four	15	Adequate
28.	ArteryForcepsMedium	Four	10	Adequate
29.	SigmoidoscopeRigid/flexible	One	1	Adequate
30.	BarronPile'sGun	Two	1	Adequate
31.	LaryngoscopePediatric/Adult	One	1	Adequate
32.	BoylesApparatus	One	1	Adequate
33.	Multi-parameterMonitor	One	1	Adequate



35.	Suction machine Electrical or Manual	One	1	Adequate
36.	Sk ingrafting knife with handle	Assorted	1	Adequate
37.	Surgical blades of different size	Assorted	Assorted	Adequate
38.	Self-Retaining Retractor	Assorted	Assorted	Adequate
39.	Bonecutter	Two	2	Adequate
40.	Gigli Saw	Two	2	Adequate
41.	Scoop	Assorted	Assorted	Adequate
42.	Periosteum elevator	Two	2	Adequate
43.	Maggles Forceps	Assorted	Assorted	Adequate
44.	High Pressure Autoclave	One	1	Adequate
45.	Nitrous Oxide Cylinder	One	1	Adequate
46.	Hydrolic Operation Table	One	1	Adequate
47.	Boyle's Apparatus	Assorted	1	Adequate
48.	Instrument Trolley	Assorted	1	Adequate
49.	Endotracheal Tube	Two	2	Adequate
50.	Proctoscope with or without illumination	One	1	Adequate
51.	Gabrial Syringe	Two	2	Adequate
52.	Stretcher with trolley	Assorted	1	Adequate
53.	Suction Machine	Assorted	Assorted	Adequate
General				
54.	Emergency power backup facility	Assorted	Assorted	Adequate
55.	Emergency light	Four	4	Adequate
56.	Fire Extinguisher	Two	2	Adequate
57.	BP Apparatus	Assorted	1	Adequate
58.	Fumigator	One	1	Adequate
59.	Refrigerator	One	1	Adequate
60.	X-ray View Box (double)	Two	2	Adequate
61.	Revolving Stool	Assorted	1	Adequate
62.	Vertical BP Instrument	One	1	Adequate
63.	Rubber catheters of Assorted size	Assorted	Assorted	Adequate
Miscellaneous				
64.	Corrugated rubber drain	Assorted	Assorted	Adequate
65.	Suturing Needle (straight/curved) of Assorted size	Assorted	Assorted	Adequate
66.	Surgical Thread	Assorted	Assorted	Adequate
67.	BP Inflation of different size	Assorted	Assorted	Adequate
68.	Head holder	Assorted	Assorted	Adequate
II	Abolition of Ophthalmic Equipment or Instruments for Operative Surgery			
Essential				





70.	Sterilizing box/casewithmatts	Assorted	02	Adequate
71.	LensinsertionForceps	Assorted	02	Adequate
72.	Keratome	Assorted	02	Adequate
73.	Desmarreslidretractors	Assorted	01	Adequate
74.	Cat-pawlacrimalretractor	Assorted	01	Adequate
75.	Muellerlacrimalretractor	Assorted	02	Adequate
76.	Dastooririsretractor	Assorted	03	Adequate
77.	MeyrhoeferChalazioncurrette	Assorted	02	Adequate
78.	Sinskylensmanipulatinghook	Assorted	02	Adequate
79.	IOLManipulator	Assorted	01	Adequate
80.	Foreignbodyspud	Assorted	02	Adequate
81.	Lewisloop(vectis)	Assorted	02	Adequate
82.	Cystotomeandspoon	Assorted	01	Adequate
83.	MuleEviscerationspoon	Assorted	02	Adequate
84.	Irisrepository(double-ended)	Assorted	02	Adequate
85.	Jamesonmusclehook	Assorted	02	Adequate
86.	Willscautywithcopperball-point	Assorted	01	Adequate
87.	Langlacrimaldissector	Assorted	01	Adequate
88.	KellyGlaucomapunch	Assorted	01	Adequate
89.	Elevator(doubleended)	Assorted	02	Adequate
90.	Nasalspeculumadult/child	Assorted	01	Adequate
91.	WilderpunctumDilator	Assorted	01	Adequate
92.	Bowmanlacrimalprobes	Assorted	03	Adequate
93.	Hartmannmosquitoforceps	Assorted	02	Adequate
94.	Colibriforceps1*2teeth	Assorted	01	Adequate
95.	Mc.personornealforcepswithtyingplatform	Assorted	01	Adequate
96.	Dressingforceps,serrated	Assorted	01	Adequate
97.	Moorfieldconjunctivalforceps	Assorted	01	Adequate
98.	Fixationforceps	Assorted	01	Adequate
99.	Wercileia(epilation)forceps	Assorted	01	Adequate
100.	Arrogacapsularforceps	Assorted	01	Adequate
101.	Woodcocktropionclamp	Assorted	01	Adequate
102.	Chalazionclamps	Assorted	01	Adequate
103.	Forcepsforlightdissector	Assorted	01	Adequate
104.	Forcepsforirisretractorholder	Assorted	01	Adequate
105.	Forcepsforirisretractor	Assorted	01	Adequate
106.	Forcepsforirisretractor	Assorted	01	Adequate
107.	Forcepsforirisretractor	Assorted	01	Adequate
108.	Forcepsforirisretractor	Assorted	01	Adequate
109.	Forcepsforirisretractor	Assorted	01	Adequate

111.	Simco direct / Acannula with silicontubing	Assorted	01	Adequate
112.	Irrigating aspirating handle	Assorted	03	Adequate
113.	Lens dialer	Assorted	04	Adequate
114.	Superior Rectus forceps	Assorted	02	Adequate
115.	Eyewash glasses (for Tarpana Karma)	Assorted	03	Adequate
116.	Swimming Goggles (for Tarpana Karma)	Assorted	03	Adequate
III	ENT-Surgical Operative Procedural Instruments			
	Essential			
117.	Aural Syringe	Assorted	01	Adequate
118.	Jobson's Aural Probe	Assorted	05	Adequate
119.	Eustachian Catheter	Assorted	01	Adequate
120.	Mastoid Retractor	Assorted	02	Adequate
121.	Mastoid Gouge	Assorted	02	Adequate
122.	Mallet	Assorted	01	Adequate
123.	Nasal Foreign Body hook	Assorted	01	Adequate
124.	Nasal packing forceps	Assorted	01	Adequate
125.	Nasal Snare	Assorted	01	Adequate
126.	Bayonet Shaped gouge	Assorted	01	Adequate
127.	Walsham forceps	Assorted	01	Adequate
128.	Laryngeal forceps	Assorted	01	Adequate
129.	Tongue plate with throat suction	Assorted	02	Adequate
130.	Tonsil holding forceps	Assorted	02	Adequate
131.	Tonsillar suction	Assorted	02	Adequate
132.	Adenoid curette with cage	Assorted	01	Adequate
133.	Peritonsillar abscess draining forceps	Assorted	01	Adequate
134.	Fuller's Tracheostomy Tube	Assorted	01	Adequate
135.	Cheate's Forceps	Assorted	01	Adequate
	Miscellaneous			
136.	Other consumable articles like gloves, syringes, bandages, sutras, etc.	Assorted		



Principal
Deary/Principal Stamp & Signature
Pusad

(H) DETAILS OF EQUIPMENT AND INSTRUMENTS REQUIRED FOR OUTPATIENT DEPARTMENT

No.	Name of Out Patient Department	Articles required as per norms of CIM	Required Quantity	Details on College Website	Adequate/Inadequate
1	Kayachikitsa	Essential			
		X-Ray View Box	One	1	Adequate
		BP Apparatus	Two	2	Adequate
		Stethoscope	Four	4	Adequate
		Torch	Two	2	Adequate
		Examination Table	One	1	Adequate
		Thermometer	Four	4	Adequate
		Tongue depressor	Five	5	Adequate
		Weight and height measuring stand	One	1	Adequate
		Measuring tape	One	1	Adequate
		Knee Hammer	Two	2	Adequate
		Miscellaneous			
		Gloves	Assorted	Assorted	Adequate
	Shalya	Essential			
		X-Ray Viewing Box	One	1	Adequate
		Stethoscope	Four	2	Adequate
		Instruments for ano-rectal examination	Two sets	2 sets	Adequate
		Examination Table	One	1	Adequate
		BP Apparatus	Two	1	Adequate
		Thermometer	Four	2	Adequate
		Torch	Assorted	Available	Adequate
		Cheatele forceps	Assorted	available	Adequate
		General			
		Minor OT	Assorted	available	Adequate
		Miscellaneous			
		Surgical Blades	Assorted	available	Adequate
	Shalakyā	Essential			
		Tuning forks	Assorted	available	Adequate
		Ophthalmoscope/fundoscope	Two	2	Adequate
		Auroscope	Two	2	Adequate
		Examination Table	One	1	Adequate
		X-Ray Viewing Box	One	1	Adequate
		BP Apparatus	Two	2	Adequate
		Stethoscope	Four	4	Adequate
		Thermometer	Four	4	Adequate
		ENT Kit	Assorted	available	Adequate
		Torch	Two	2	Adequate



4	Prasutiand StriRoga			
		Essential		
	Weighingmachine	One	1	Adequate
	Sims'sspeculum	Two	2	Adequate
	Thermometer	Four	4	Adequate
	Cusco'sspeculum	Two	2	Adequate
	ExaminationTable	One	1	Adequate
	Lampstand	One	1	Adequate
	Torch	Two	2	Adequate
	X-RayViewingBox	One	1	Adequate
	BPApparatus	Two	2	Adequate
	Stethoscope	Four	4	Adequate
	Measuringtape	Two	2	Adequate
5	BaIRoga			
		Essential		
	Scale	One	1	Adequate
	Weighingmachine	One	1	Adequate
	Torch	Two	2	Adequate
	X-RayViewBox	One	1	Adequate
	Thermometer	Four	4	Adequate
	BPApparatuswithPediaticcuff	Two	2	Adequate
	Stethoscope	Assorted	available	Adequate
	ExaminationTable	Assorted	available	Adequate
6	Panchkarma			
7	YogaSection (Swasth Rakshsh)	Facilities available (Equipment,Instrument,Furnit ureetc)	available	Adequate
8	Emergency	Facilities available (Equipment, Instrument,Furniture etc)	available	Adequate




 Principal
Dean/Principal Stamp & Signature
 PUSAD